



EMISSION CLASSIFICATION OF BUILDING MATERIALS

Akzo Nobel Coatings Oy

The classification working group set up by the Building Information Foundation RTS has approved the following product:

Casco Aqua Stop 3635

as belonging to emission class M1 for building materials.

The classification is valid until 13.3.2015.

Akzo Nobel Coatings Oy has the right to equip its classified products with the classification mark and to use this classification mark when marketing its products.

The decision is in line with the requirements laid down in the Classification of Indoor Climate 2008 and the Classification of Building Materials: General Instructions.

THE BUILDING INFORMATION FOUNDATION RTS

Matti Rautiola
Director General

Tiina Tirkkonen
Secretary of the Classification
Working Group



Association for the Control of Emissions in Products for Flooring Installation



Awarding of licence for the use of EMICODE

Licence Number: 1337/24.02.97
For the product Casco AquaStop
Of company SCHÖNOX GmbH
Due to application dated 09.11.2005

With reference to the classification in accordance with the directives as stipulated in § 10 of the GEV trademark constitution on behalf of the GEV for the above mentioned product as per § 5, section 4 of the GEV trademark constitution is awarded the licence for the use of the GEV trademark



This product meets with the guidelines for the criteria of use listed reverse.
The company is ordinary member of the GEV.
GEV membership number OM008

The secretary General
Association for the Control of Emissions in Products for
Flooring Installation (GEV)
Ivo-Beucker-Str. 43 · 40237 Düsseldorf

15.11.2005

Requirement guidelines for the awarding of the EMICODE licence

The flooring installation material mentioned in the front side licence has to meet with the following criteria in accordance with the constitution and guidelines of the Technical Advisory Board of the GEV and others:

- The flooring installation product meets all the legal requirements, especially the chemical law and its specifications.
- The flooring installation product is solvent free due to occupational health.
- A safety data sheet (MSDS) as per directive no. 91/155/EEC and the updates to these directives is to be established for the flooring installation product.
- Carcinogenic, mutagenic, reprotoxic substances as well as those substances under suspicion to cause such defects are not permitted to be used in the manufacturing of this flooring installation product.
- The testing of the flooring installation product is in accordance with the defined GEV test methods. Afterwards the definition of VOC's is conducted in a test chamber according to the VOC regulations tests using the Tenax thermodesorption procedures with GC/MS analysis.
- The classification into the EMICODE classes is performed according to the following listed and described criteria and TVOC concentration groups. For product labelling the matching EMICODE class is to be used.

Emission class	Range of emission	TVOC* for primers	TVOC* for levelling compounds/ mortars	TVOC* for adhesives/fixings/ underlays
EMICODE EC 1	very low emission	below 100 $\mu\text{g}/\text{m}^3$	below 200 $\mu\text{g}/\text{m}^3$	below 500 $\mu\text{g}/\text{m}^3$
EMICODE EC 2	low emission	100 – 300 $\mu\text{g}/\text{m}^3$	200 - 600 $\mu\text{g}/\text{m}^3$	500 – 1500 $\mu\text{g}/\text{m}^3$
EMICODE EC 3	not low emission	above 300 $\mu\text{g}/\text{m}^3$	above 600 $\mu\text{g}/\text{m}^3$	above 1500 $\mu\text{g}/\text{m}^3$

* TVOC = Total Volatile Organic Compounds